

**LISTINO
PREZZI
2023-01**

Programmerweiterung 2018

			
PUNTE CODOLO CILINDRICO SERIE E/CORTA TAGLIO DESTRO			
DIN 6539			
METALLO DURO			
CODICE			29653
ACCIAIO ESECUZIONE			VHM BIANCHE N
D	I	L	EURO
1.0	6	26	8,53
1.5	9	32	8,53
2.0	12	38	8,53
2.5	14	43	9,68
3.0	16	46	9,68
3.3	18	49	12,21
3.5	20	52	12,21
4.0	22	55	12,99
4.2	22	55	17,60
4.5	24	58	17,60
5.0	26	62	19,70
5.5	28	66	23,99
6.0	28	66	27,23
6.5	31	70	33,34
6.8	34	74	40,05
7.0	34	74	40,05
7.5	34	74	46,27
8.0	37	79	54,35
8.5	37	79	61,84
9.0	40	84	72,23
9.5	40	84	77,57
10.0	43	89	87,69
10.5	43	89	112,40
11.0	47	95	122,13
11.5	47	95	134,89
12.0	51	102	134,89
12.5	51	102	151,79
13.0	51	102	169,94

			
PUNTE CODOLO CILINDRICO SERIE CORTA TAGLIO DESTRO			
DIN 338			
METALLO DURO			
CODICE			29338
ACCIAIO ESECUZIONE			VHM BIANCHE N
D	I	L	EURO
1.0	12	34	8,97
1.5	18	40	9,68
2.0	24	49	10,73
2.5	30	57	12,21
3.0	33	61	12,21
3.3	36	65	18,27
3.5	39	70	18,70
4.0	43	75	19,37
4.2	43	75	26,03
4.5	47	80	27,35
5.0	52	86	32,24
5.5	57	93	39,06
6.0	57	93	39,06
6.5	63	101	53,26
6.8	69	109	57,49
7.0	69	109	57,49
7.5	69	109	70,81
8.0	75	117	78,34
8.5	75	117	88,79
9.0	81	125	103,75
9.5	81	125	119,11
10.0	87	133	139,90
10.5	87	133	139,90
11.0	94	142	163,06
11.5	94	142	190,63
12.0	101	151	215,38
12.5	101	151	240,80
13.0	101	151	259,45

**PUNTE CODOLO CILINDRICO
SERIE EXTRA CORTA
TAGLIO DESTRO
DIN 1897**


25897

23897

24897
DIN 1897

ACCIAIO ESECUZIONE			HSSCO 25897 30000 N	HSSCO 23897 S
D	I	L	EURO	EURO
2	12	38	1,60	3,24
2,5	14	43	1,82	3,24
3	16	46	1,92	3,24
3,5	20	52	2,20	3,74
4	22	55	2,42	4,12
4,5	24	58	2,54	4,68
5	26	62	3,09	4,89
5,5	28	66	3,91	5,72
6	28	66	4,56	6,21
6,5	31	70	5,23	6,71
7	34	74	5,89	7,60
7,5	34	74	6,55	8,36
8	37	79	7,60	9,52
8,5	37	79	8,08	10,02
9	40	84	9,95	11,67
9,5	40	84	10,67	12,54
10	43	89	11,27	13,92
10,5	43	89	13,37	14,58
11	47	95	15,35	16,67
11,5	47	85	16,67	18,32
12	51	102	17,93	20,08
12,5	51	102	19,97	23,61
13	51	102	21,29	26,08
13,5	54	107	22,70	33,28
14	54	107	22,70	36,03
14,5	56	111	27,10	38,84
15	56	111	27,10	41,54
15,5	58	115	32,40	44,28
16	58	115	32,40	47,10
16,5	60	119	37,40	
17	60	119	37,40	
17,5	62	123	43,30	
18	62	123	43,30	
18,5	64	127	49,70	
19	64	127	49,70	
19,5	66	131	56,70	
20	66	131	56,70	

DIN 1897 TIALN

ACCIAIO ESECUZIONE			24897	HSSCO S
D	I	L	CODICE	EURO
2	12	38	24897.0200	8,63
2,5	14	43	24897.0250	8,63
3	16	46	24897.0300	8,63
3,5	20	52	24897.0350	9,13
4	22	55	24897.0400	9,52
4,5	24	58	24897.0450	10,07
5	26	62	24897.0500	10,40
5,5	28	66	24897.0550	11,17
6	28	66	24897.0600	11,50
6,5	31	70	24897.0650	12,21
7	34	74	24897.0700	12,93
7,5	34	74	24897.0750	13,81
8	37	79	24897.0800	14,86
8,5	37	79	24897.0850	15,41
9	40	84	24897.0900	17,00
9,5	40	84	24897.0950	17,93
10	43	89	24897.1200	20,63
10,2	43	89	24897.1050	22,67
10,5	43	89	24897.1050	21,34
11	47	95	24897.1100	23,38
11,5	47	85	24897.1150	25,03
12	51	102	24897.1200	26,80
12,5	51	102	24897.1250	30,15
13	51	102	24897.1300	32,74
13,5	54	107	24897.1350	39,77
14	54	107	24897.1400	42,47
14,5	56	111	24897.1450	45,22
15	56	111	24897.1500	48,03
15,5	58	115	24897.1550	50,67
16	58	115	24897.1600	53,48

**PUNTE CODOLO
CILINDRICO
SERIE CORTA
TAGLIO DESTRO
DIN 338**



CODICE			43380	23385
ACCIAIO ESECUZIONE			HSS N	HSSCO N
D	I	L	EURO	EURO
0,5	6	22	0,66	
0,6	7	24	0,55	
0,7	9	28	0,55	
0,75	9	28	0,55	
0,8	10	30	0,55	
0,9	11	32	0,55	
1,0	12	34	0,50	1,60
1,1	16	38	0,55	1,76
1,2	16	38	0,55	
1,25	16	38	0,55	
1,3	18	40	0,55	
1,4	18	40	0,55	
1,5	18	40	0,50	1,60
1,6	20	43	0,55	
1,7	20	43	0,55	
1,75	22	46	0,55	
1,8	22	46	0,55	
1,9	22	46	0,55	
2,0	24	49	0,50	1,21
2,1	24	49	0,66	
2,2	27	53	0,66	
2,25	27	53	0,66	1,43
2,3	27	53	0,66	
2,4	30	57	0,66	
2,5	30	57	0,60	1,21
2,6	30	57	0,94	
2,7	33	61	0,94	
2,75	33	61	0,94	1,43
2,8	33	61	0,94	
2,9	33	61	0,94	
3,0	33	61	0,88	1,21
3,1	36	65	1,05	
3,2	36	65	1,05	
3,25	36	65	1,10	1,65
3,3	36	65	1,05	

**PUNTE CODOLO
CILINDRICO
SERIE CORTA
TAGLIO DESTRO
DIN 338**



CODICE			43380	23385
ACCIAIO ESECUZIONE			HSS N	HSSCO N
D	I	L	EURO	EURO
3,4	39	70	1,10	
3,5	39	70	1,05	1,43
3,6	39	70	1,32	
3,7	39	70	1,32	
3,75	39	70	1,32	2,04
3,8	43	75	1,32	
3,9	43	75	1,32	
4	43	75	1,21	1,65
4,1	43	75	1,43	
4,2	43	75	1,43	
4,25	43	75	1,60	2,47
4,3	47	80	1,60	
4,4	47	80	1,60	
4,5	47	80	1,43	2,04
4,6	47	80	1,98	
4,7	47	80	1,98	
4,75	47	80	1,98	2,81
4,8	52	86	1,98	
4,9	52	86	1,98	
5	52	86	1,65	2,37
5,1	52	86	2,25	
5,2	52	86	2,25	3,47
5,25	52	86	2,25	3,47
5,3	52	86	2,25	
5,4	57	93	2,25	
5,5	57	93	2,04	2,81
5,6	57	93	2,54	
5,7	57	93	2,54	
5,75	57	93	2,54	4,12
5,8	57	93	2,54	
5,9	57	93	2,54	
6	57	93	2,31	3,47
6,1	63	101	3,02	
6,2	63	101	3,02	
6,25	63	101	3,02	5,17

**PUNTE CODOLO
CILINDRICO
SERIE CORTA
TAGLIO DESTRO
DIN 338**

CODICE			43380	23385
ACCIAIO ESECUZIONE			HSS N	HSSCO N
D	I	L	EURO	EURO
6,3	63	101	3,02	
6,4	63	101	3,02	
6,5	63	101	2,75	4,25
6,6	63	101	3,79	
6,7	63	101	3,79	
6,75	69	109	3,79	5,94
6,8	69	109	3,79	5,94
6,9	69	109	3,79	
7	69	109	3,30	4,89
7,1	69	109	4,24	
7,2	69	109	4,24	
7,25	69	109	4,24	6,83
7,3	69	109	4,24	
7,4	69	109	4,24	
7,5	69	109	3,79	5,61
7,6	75	117	4,79	
7,7	75	117	4,79	
7,75	75	117	4,79	7,92
7,8	75	117	4,79	
7,9	75	117	4,79	
8	75	117	4,34	6,55
8,1	75	117	5,39	
8,2	75	117	5,39	
8,25	75	117	5,39	8,85
8,3	75	117	5,39	
8,4	75	117	5,39	
8,5	75	117	4,84	7,38
8,6	81	125	6,33	
8,7	81	125	6,33	
8,75	81	125	6,33	10,18
8,8	81	125	6,33	
8,9	81	125	6,33	
9	81	125	5,61	8,42
9,1	81	125	7,21	
9,2	81	125	7,21	
9,25	81	125	7,21	11,39
9,3	81	125	7,21	
9,4	81	125	7,21	

**PUNTE CODOLO
CILINDRICO
SERIE CORTA
TAGLIO DESTRO
DIN 338**

CODICE			43380	23385
ACCIAIO ESECUZIONE			HSS N	HSSCO N
D	I	L	EURO	EURO
9,5	81	125	6,16	9,47
9,6	87	133	7,92	
9,7	87	133	7,92	
9,75	87	133	7,92	12,82
9,8	87	133	7,92	
9,9	87	133	7,92	
10	87	133	7,04	10,73
10,1	87	133	9,80	
10,2	87	133	9,80	12,27
10,25	87	133	9,80	12,27
10,5	87	133	7,81	12,27
10,7	94	142	10,40	16,78
10,75	94	142	10,40	
11	94	142	9,25	13,97
11,25	94	142	11,05	
11,5	94	142	10,07	15,41
11,7	94	142	12,37	20,35
11,75	94	142	12,37	
12	101	151	11,18	16,89
12,25	101	151	13,26	
12,5	101	151	11,99	18,65
12,7	101	151	14,19	23,82
12,75	101	151	14,19	23,82
12,8	101	151	14,19	23,82
13	101	151	12,82	19,75
13,5	108	160	17,99	39,50
14	108	160	19,20	41,86
14,5	114	169	23,21	44,13
15	114	169	24,43	48,80
15,5	120	178	26,73	55,73
16	120	178	27,90	62,71
16,5	125	184	45,06	
17	125	184	46,26	
17,5	130	191	50,99	
18	130	191	50,99	
18,5	135	198	58,10	
19	135	198	58,10	
19,5	140	205	65,13	
20	140	205	65,13	


**PUNTE
CILINDRICHE
TAGLIO DESTRO
SERIE LUNGA**

DIN 340




CODICE ACCIAIO ESECUZIONE					23400 HSS N	CODICE ACCIAIO ESECUZIONE					23400 HSS N	CODICE ACCIAIO ESECUZIONE					23400 HSS N
CODICE	D	I	L	EURO		CODICE	D	I	L	EURO		CODICE	D	I	L	EURO	
30200.0040	0,4	10	30	3,69		30200.0410	4.1	78	119	2,75		30200.0950	9.5	115	175	13,90	
30200.0050	0,5	12	32	2,59		30200.0420	4.2	78	119	2,75		30200.0980	9.8	121	184	16,45	
30200.0060	0,6	15	35	2,59		30200.0425	4.25	78	119	2,86		30200.1000	10.0	121	184	14,96	
30200.0070	0,7	21	42	2,59		30200.0430	4.3	82	126	2,75		30200.1020	10.2	121	184	16,28	
30200.0080	0,8	25	46	2,59		30200.0440	4.4	82	126	2,75		30200.1050	10.5	121	184	16,28	
30200.0090	0,9	29	51	2,59		30200.0450	4.5	82	126	2,47		30200.1100	11.0	128	195	19,70	
30200.0100	1,0	33	56	2,20		30200.0460	4.6	82	126	3,19		30200.1150	11.5	128	195	21,07	
30200.0110	1,1	37	60	2,20		30200.0470	4.7	82	126	3,19		30200.1200	12.0	134	205	23,71	
30200.0120	1,2	41	65	2,20		30200.0480	4.8	87	132	3,19		30200.1250	12.5	134	205	25,75	
30200.0130	1,3	41	65	2,20		30200.0490	4.9	87	132	3,19		30200.1300	13.0	134	205	30,47	
30200.0140	1,4	45	70	2,20		30200.0500	5.0	87	132	2,86		30200.1400	14.0	140	214	33,94	
30200.0150	1,5	45	70	2,20		30200.0510	5.1	87	132	4,02		30200.1500	15.0	144	220	39,34	
30200.0160	1,6	50	76	2,20		30200.0520	5.2	87	132	4,02							
30200.0170	1,7	50	76	2,20		30200.0530	5.3	87	132	4,02							
30200.0180	1,8	53	80	2,20		30200.0540	5.4	91	139	4,02							
30200.0190	1,9	53	80	2,20		30200.0550	5.5	91	139	3,69							
30200.0200	2,0	56	85	1,43		30200.0560	5.6	91	139	4,51							
30200.0210	2.1	56	85	1,60		30200.0570	5.7	91	139	4,51							
30200.0220	2.2	59	90	1,60		30200.0580	5.8	91	139	4,51							
30200.0230	2.3	59	90	1,60		30200.0590	5.9	91	139	4,51							
30200.0240	2.4	62	95	1,60		30200.0600	6.0	91	139	4,18							
30200.0250	2.5	62	95	1,43		30200.0610	6.1	97	148	6,44							
30200.0260	2.6	62	95	1,87		30200.0620	6.2	97	148	6,44							
30200.0270	2.7	66	100	1,87		30200.0630	6.3	97	148	6,44							
30200.0280	2.8	66	100	1,87		30200.0640	6.4	97	148	6,44							
30200.0290	2.9	66	100	1,87		30200.0650	6.5	97	148	5,72							
30200.0300	3.0	66	100	1,60		30200.0660	6.6	97	148	7,65							
30200.0310	3.1	69	106	2,15		30200.0670	6.7	97	148	7,65							
30200.0320	3.2	69	106	2,15		30200.0680	6.8	102	156	7,65							
30200.0325	3.25	69	106	2,47		30200.0690	6.9	102	156	7,65							
30200.0330	3.3	69	106	2,15		30200.0700	7.0	102	156	6,93							
30200.0340	3.4	73	112	2,15		30200.0720	7.2	102	156	8,91							
30200.0350	3.5	73	112	1,98		30200.0750	7.5	102	156	8,03							
30200.0360	3.6	73	112	2,31		30200.0780	7.8	109	165	10,40							
30200.0370	3.7	73	112	2,31		30200.0800	8.0	109	165	9,47							
30200.0380	3.8	78	119	2,31		30200.0820	8.2	109	165	11,89							
30200.0390	3.9	78	119	2,31		30200.0850	8.5	109	165	10,73							
30200.0400	4.0	78	119	2,09		30200.0900	9.0	115	175	12,54							


PUNTE
CILINDRICHE
TAGLIO DESTRO
ELICA FORI PROFONDI
EXTRA-LUNGHE
DIN 1869



1869-1 / 21869					1869-2 / 22869					1869-3 / 23869				
ACCIAIO ESECUZIONE				HSS S	ACCIAIO ESECUZIONE				HSS S	ACCIAIO ESECUZIONE				HSS S
CODICE	D	I	L	EURO	CODICE	D	I	L	EURO	CODICE	D	I	L	EURO
21869.0100	1,0	60	100	10,73	22869.0150	1,5	100	150	11,27	23869.0200	2,0	135	200	12,54
21869.0150	1,5	60	100	10,73	22869.0200	2,0	110	160	11,27	23869.0250	2,5	150	225	12,54
21869.0200	2,0	85	125	6,60	22869.0250	2,5	120	180	11,27	23869.0300	3,0	160	240	13,09
21869.0250	2,5	95	140	7,21	22869.0300	3,0	130	190	11,27	23869.0350	3,5	180	265	15,51
21869.0300	3,0	100	150	7,21	22869.0350	3,5	145	210	13,09	23869.0400	4,0	190	280	17,83
21869.0350	3,5	115	165	9,35	22869.0400	4,0	150	220	14,86	23869.0450	4,5	200	295	20,19
21869.0400	4,0	120	175	10,84	22869.0450	4,5	160	235	16,06	23869.0500	5,0	210	315	21,40
21869.0450	4,5	125	185	11,67	22869.0500	5,0	170	245	17,83	23869.0550	5,5	225	330	26,13
21869.0500	5,0	135	195	14,24	22869.0550	5,5	180	260	21,40	23869.0600	6,0	225	330	28,45
21869.0550	5,5	140	205	15,51	22869.0600	6,0	180	260	21,40	23869.0650	6,5	235	350	32,02
21869.0600	6,0	140	205	16,61	22869.0650	6,5	190	275	23,71	23869.0700	7,0	250	370	34,44
21869.0650	6,5	150	215	19,03	22869.0700	7,0	200	290	26,13	23869.0750	7,5	250	370	40,32
21869.0700	7,0	155	225	21,40	22869.0750	7,5	200	290	28,45	23869.0800	8,0	265	390	42,69
21869.0750	7,5	155	225	23,71	22869.0800	8,0	210	305	32,62	23869.0850	8,5	265	390	46,27
21869.0800	8,0	165	240	26,13	22869.0850	8,5	210	305	34,44	23869.0900	9,0	280	410	56,89
21869.0850	8,5	165	240	28,45	22869.0900	9,0	220	320	37,97	23869.0950	9,5	280	410	60,46
21869.0900	9,0	175	250	30,86	22869.0950	9,5	220	320	39,17	23869.1000	10,0	295	430	65,13
21869.0950	9,5	175	250	33,23	22869.1000	10,0	235	340	47,37	23869.1050	10,5	295	430	74,71
21869.1000	10,0	185	265	37,97	22869.1050	10,5	235	340	53,31	23869.1100	11,0	310	455	80,60
21869.1050	10,5	185	265	42,69	22869.1100	11,0	250	365	55,68	23869.1150	11,5	310	455	85,27
21869.1100	11,0	195	280	46,27	22869.1150	11,5	250	365	62,83	23869.1200	12,0	330	480	100,73
21869.1150	11,5	195	280	49,79	22869.1200	12,0	260	375	68,77	23869.1250	12,5	330	480	104,25
21869.1250	12,0	205	295	53,31	22869.1250	12,5	260	375	72,29	23869.1300	13,0	330	480	106,72
21869.1250	12,5	205	295	58,10	22869.1300	13,0	260	375	75,97					
21869.1300	13,0	205	295	63,97										

**PUNTE CODOLO CILINDRICO
TAGLIO DESTRO**
DIN 338
**SERIE CORTA
HSS**


NR.PEZZI	ASSORTIMENTO MM	CODICE 43380	EURO HSS
90-19	1,00-10,00 x 0,5 mm	30450.1900	60,68
90-25	1,00-13,00 x 0,5 mm	30450.2500	127,91
90-50	1,00-5,90 x 0,1 mm	30450.5000	70,14
90-41	6,00-10,00 x 0,1 mm	30450.4100	218,24

**PUNTE CODOLO CILINDRICO
TAGLIO DESTRO**
DIN 338
**SERIE CORTA
HSSco
COBALTO**


NR.PEZZI	ASSORTIMENTO MM	CODICE 23385	EURO HSSCO
90-19	1,00-10,00 x 0,5 mm	30460.1900	87,64
90-25	1,00-13,00 x 0,5 mm	30460.2500	183,58

PUNTE CENTRO CNC
**PUNTE A CENTRARE
PER CENTRI LAVORO CNC
ACCIAIO HSSCO**
90° - 120°


D	ANGOLO	I	L	CODICE 21809	EURO HSSCO	CODICE 21810	EURO HSSCO+TIN
4	90°	15	55	30500.0400	4,34	30505.0400	8,25
5	90°	15	60	30500.0500	4,84	30505.0500	8,80
6	90°	20	65	30500.0600	6,38	30505.0600	9,90
8	90°	25	80	30500.0800	8,80	30505.0800	12,16
10	90°	25	90	30500.1000	12,16	30505.1000	15,51
12	90°	30	100	30500.1200	16,28	30505.1200	21,29
16	90°	35	115	30500.1600	34,33	30505.1600	38,57
20	90°	40	130	30500.2000	63,23	30505.2000	76,80
25	90°	45	138	30500.2500	131,22	30505.2500	160,59
				21812		21813	
4	120°	15	55	30510.0400	4,34	30515.0400	8,25
5	120°	15	60	30510.0500	4,84	30515.0500	8,80
6	120°	20	65	30510.0600	6,38	30515.0600	9,90
8	120°	25	80	30510.0800	8,80	30515.0800	12,16
10	120°	25	90	30510.1000	12,16	30515.1000	15,51
12	120°	30	100	30510.1200	16,28	30515.1200	21,29
16	120°	35	115	30510.1600	34,33	30515.1600	38,57
20	120°	40	130	30510.2000	63,23	30515.2000	76,80
25	120°	45	138	30510.2500	131,22	30515.2500	160,59

**PUNTE A CENTRARE
TIPO 60°
TAGLIO DESTRO
ACCIAIO HSS
DIN 333/A**



d	D	L	CODICE (23330)	EURO HSS	CODICE (23336)	EURO HSS+TIN
1	3	31,5	30550.0100	3,09	30555.0100	9,02
1,25	3,15	31,5	30550.0125	3,09	30555.0125	9,02
1,6	4	35,5	30550.0160	3,30	30555.0160	9,25
2	5	40	30550.0200	3,69	30555.0200	9,57
2,5	6,3	45	30550.0250	4,30	30555.0250	9,90
3,15	8	50	30550.0315	4,80	30555.0315	11,17
4	10	56	30550.0400	7,87	30555.0400	19,03
5	12,5	63	30550.0500	11,05	30555.0500	26,13
6,3	16	71	30550.0630	16,61	30555.0630	34,44
8	20	80	30550.0800	28,90	30555.0800	46,27
10	25	100	30550.1000	63,98	30555.1000	102,93
12,5	31,5	125	30550.1250	81,70	30555.1250	129,28

PUNTE CENTRO

**PUNTE A CENTRARE
TIPO 60° - RAGGIATE
TAGLIO DESTRO
ACCIAIO HSS
DIN 333/R**



d	D	L	CODICE (23332)	EURO HSS	CODICE	EURO HSS+TIN
2	5	40	30560.0200	4,24		
2,5	6,3	45	30560.0250	4,68		
3,15	8	50	30560.0315	6,11		
4	10	56	30560.0400	8,75		
5	12,5	63	30560.0500	13,69		
6,3	16	71	30560.0630	20,19		

PUNTE CENTRO SERIE LUNGA

**PUNTE A CENTRARE
TIPO 60°
TAGLIO DESTRO
ACCIAIO HSS
DIN 333/A**


SERIE LUNGA

d	D	L	CODICE (23120)	EURO HSS	CODICE	EURO HSS+TIN
2	5	120	30570.0200	8,36		
2,5	6,3	120	30570.0250	8,97		
3,15	8	120	30570.0315	9,68		
4	10	120	30570.0400	12,87		
5	12,5	120	30570.0500	17,55		

**PUNTE
CONO MORSE
TAGLIO DESTRO
DIN 345**



ACCIAIO ESECUZIONE				33453	HSS N
D	I	L	MK	CODICE	EURO
10	87	168	1	31000.1000	12,66
10,25	87	168	1	31000.1025	14,47
10,5	87	168	1	31000.1050	12,99
10,75	94	175	1	31000.1075	14,58
11	94	175	1	31000.1100	13,09
11,25	94	175	1	31000.1125	14,91
11,5	94	175	1	31000.1150	13,42
11,75	94	175	1	31000.1175	15,51
12	101	182	1	31000.1200	13,81
12,25	101	182	1	31000.1225	15,84
12,5	101	182	1	31000.1250	14,24
12,75	101	182	1	31000.1275	15,84
13	101	182	1	31000.1300	14,24
13,25	108	189	1	31000.1325	16,83
13,5	108	189	1	31000.1350	15,15
13,75	108	189	1	31000.1375	16,83
14	108	189	1	31000.1400	15,13
14,25	114	212	2	31000.1425	20,52
14,5	114	212	2	31000.1450	17,60
14,75	114	212	2	31000.1475	20,52
15	114	212	2	31000.1500	17,60
15,25	120	218	2	31000.1525	20,63
15,5	120	218	2	31000.1550	18,43
15,75	120	218	2	31000.1575	20,63
16	120	218	2	31000.1600	18,43
16,25	125	223	2	31000.1625	21,67
16,5	125	223	2	31000.1650	19,47
16,75	125	223	2	31000.1675	21,67
17	125	223	2	31000.1700	19,47
17,25	130	228	2	31000.1725	22,67
17,5	130	228	2	31000.1750	20,47
17,75	130	228	2	31000.1775	22,89
18	130	228	2	31000.1800	20,69
18,25	135	233	2	31000.1825	24,89
18,5	135	233	2	31000.1850	22,44
18,75	135	233	2	31000.1875	25,20

ACCIAIO ESECUZIONE				33453	HSS N
D	I	L	MK	CODICE	EURO
19	135	233	2	31000.1900	22,67
19,25	140	238	2	31000.1925	27,28
19,5	140	238	2	31000.1950	23,71
19,75	140	238	2	31000.1975	29,22
20	140	238	2	31000.2000	26,13
20,25	145	243	2	31000.2025	34,93
20,5	145	243	2	31000.2050	31,31
20,75	145	243	2	31000.2075	34,93
21	145	243	2	31000.2100	31,41
21,25	150	248	2	31000.2125	36,86
21,5	150	248	2	31000.2150	33,12
21,75	150	248	2	31000.2175	37,19
22	150	248	2	31000.2200	33,34
22,25	150	248	2	31000.2225	39,17
22,5	155	253	2	31000.2250	35,10
22,75	155	253	2	31000.2275	39,50
23	155	253	2	31000.2300	35,43
23,25	155	276	3	31000.2325	42,14
23,5	155	276	3	31000.2350	37,97
23,75	160	281	3	31000.2375	43,30
24	160	281	3	31000.2400	39,17
24,25	160	281	3	31000.2425	46,93
24,5	160	281	3	31000.2450	42,19
24,75	160	281	3	31000.2475	47,15
25	160	281	3	31000.2500	42,47
25,25	165	286	3	31000.2525	49,46
25,5	165	286	3	31000.2550	44,45
25,75	165	286	3	31000.2575	50,34
26	165	286	3	31000.2600	45,38
26,25	165	286	3	31000.2625	52,86
26,5	165	286	3	31000.2650	47,59
26,75	170	291	3	31000.2675	53,31
27	170	291	3	31000.2700	48,03
27,25	170	291	3	31000.2725	55,18
27,5	170	291	3	31000.2750	49,67
27,75	170	291	3	31000.2775	55,51

**PUNTE
CONO MORSE
TAGLIO DESTRO**
DIN 345

ACCIAIO ESECUZIONE				33453	HSS N
D	I	L	MK	CODICE	EURO
28	170	291	3	31000.2800	49,79
28,25	175	296	3	31000.2825	59,14
28,5	175	296	3	31000.2850	53,20
28,75	175	296	3	31000.2875	59,74
29	175	296	3	31000.2900	53,81
29,25	175	296	3	31000.2925	61,46
29,5	175	296	3	31000.2950	55,35
29,75	175	296	3	31000.2975	61,46
30	175	296	3	31000.3000	55,36
30,25	180	301	3	31000.3025	71,52
30,5	180	301	3	31000.3050	64,20
30,75	180	301	3	31000.3075	71,91
31	180	301	3	31000.3100	64,48
31,25	180	301	3	31000.3125	73,88
31,5	180	301	3	31000.3150	66,52
31,75	185	334	3	31000.3175	77,91
32	185	334	4	31000.3200	71,85
32,5	185	334	4	31000.3250	86,54
33	185	334	4	31000.3300	77,84
33,5	185	334	4	31000.3350	89,73
34	190	339	4	31000.3400	80,81
34,5	190	339	4	31000.3450	93,25
35	190	339	4	31000.3500	83,90
35,5	190	339	4	31000.3550	98,76
36	195	344	4	31000.3600	88,91
36,5	195	344	4	31000.3650	104,80
37	195	344	4	31000.3700	94,24
37,5	195	344	4	31000.3750	109,26
38	200	349	4	31000.3800	98,36
38,5	200	349	4	31000.3850	112,95
39	200	349	4	31000.3900	101,67
39,5	200	349	4	31000.3950	115,59
40	200	349	4	31000.4000	103,92
40,5	205	354	4	31000.4050	135,01
41	205	354	4	31000.4100	121,64
41,5	205	354	4	31000.4150	138,42
42	205	354	4	31000.4200	124,72
42,5	205	354	4	31000.4250	144,96


**PUNTE
CONO MORSE
TAGLIO DESTRO**
DIN 345

ACCIAIO ESECUZIONE				33453	HSS N
D	I	L	MK	CODICE	EURO
43	210	359	4	31000.4300	130,44
43,5	210	359	4	31000.4350	150,42
44	210	359	4	31000.4400	135,39
44,5	210	359	4	31000.4450	154,71
45	210	359	4	31000.4500	139,18
45,5	215	364	4	31000.4550	168,90
46	215	364	4	31000.4600	151,95
46,5	215	364	4	31000.4650	173,74
47	215	364	4	31000.4700	156,41
47,5	215	364	4	31000.4750	181,33
48	220	369	4	31000.4800	163,23
48,5	220	369	4	31000.4850	185,85
49	220	369	4	31000.4900	167,30
49,5	220	369	4	31000.4950	189,80
50	220	369	4	31000.5000	170,71
51	225	412	5	31000.5100	204,77
52	225	412	5	31000.5200	208,17
53	225	412	5	31000.5300	213,13
54	230	417	5	31000.5400	221,16
55	230	417	5	31000.5500	225,34
56	230	417	5	31000.5600	224,15
57	235	422	5	31000.5700	251,86
58	235	422	5	31000.5800	255,87
59	235	422	5	31000.5900	261,43
60	235	422	5	31000.6000	266,33
61	240	427	5	31000.6100	381,00
62	240	427	5	31000.6200	381,00
63	240	427	5	31000.6300	381,00
64	245	432	5	31000.6400	404,00
65	245	432	5	31000.6500	404,00
66	245	432	5	31000.6600	458,00
67	245	432	5	31000.6700	458,00
68	250	437	5	31000.6800	472,00
69	250	437	5	31000.6900	472,00
70	250	437	5	31000.7000	472,00

MATERIALE
TAGLIO
ESECUZIONE
ELICA
TOLLERANZA

HSS
RH
N
8°
H 7

MANO
DIN 206/B




CODICE	D	EURO	L1	L2	D2
34500.0200	2,00	16,90	50	25	2
34500.0250	2,50	16,90	58	29	2,5
34500.0300	3,00	16,90	62	31	3
34500.0350	3,50	16,90	71	35	3,5
34500.0400	4,00	16,90	76	38	4
34500.0450	4,50	17,80	81	41	4,5
34500.0500	5,00	17,80	87	44	5
34500.0550	5,50	17,80	93	47	5,5
34500.0600	6,00	18,60	93	47	6
34500.0650	6,50	19,80	100	50	6,5
34500.0700	7,00	21,50	107	54	7
34500.0750	7,50	22,70	107	54	7,5
34500.0800	8,00	22,70	115	58	8
34500.0850	8,50	25,20	115	58	8,5
34500.0900	9,00	25,20	124	62	9
34500.0950	9,50	28,10	124	62	9,5
34500.1000	10,00	28,10	133	66	10
34500.1100	11,00	37,20	142	71	11
34500.1200	12,00	40,80	152	76	12
34500.1300	13,00	44,50	152	76	13
34500.1400	14,00	49,90	163	81	14
34500.1500	15,00	54,80	163	81	15
34500.1600	16,00	61,40	175	87	16
34500.1700	17,00	65,30	175	87	17
34500.1800	18,00	64,70	188	93	18
34500.1900	19,00	66,40	188	93	19
34500.2000	20,00	82,40	201	100	20
34500.2100	21,00	88,20	201	100	21
34500.2200	22,00	91,50	215	107	22
34500.2300	23,00	107,60	215	107	23
34500.2400	24,00	107,60	231	115	24
34500.2500	25,00	111,70	231	115	25
34500.2600	26,00	122,10	231	115	26
34500.2700	27,00	143,40	247	124	27
34500.2800	28,00	143,40	247	124	28
34500.2900	29,00	157,40	247	124	29
34500.3000	30,00	157,40	247	124	30

MATERIALE
TAGLIO
ESECUZIONE
ELICA
TOLLERANZA

HSS-E
RH
N
8°
H 7

MACCHINA
DIN 212 B-D



CODICE	D	EURO	L1	L2	D2
34510.0200	2,00	16,10	49	11	2
34510.0250	2,50	16,10	57	14	2,5
34510.0300	3,00	16,10	61	15	3
34510.0350	3,50	16,10	70	18	3,5
34510.0400	4,00	16,50	75	19	4
34510.0450	4,50	16,50	80	21	4
34510.0500	5,00	16,50	86	23	5
34510.0550	5,50	17,80	93	26	5
34510.0600	6,00	19,40	93	26	5
34510.0650	6,50	20,60	101	28	6
34510.0700	7,00	21,00	109	31	7
34510.0750	7,50	22,70	103	31	7
34510.0800	8,00	22,70	117	33	8
34510.0850	8,50	25,60	117	33	8
34510.0900	9,00	25,60	125	36	9
34510.0950	9,50	28,90	125	36	9
34510.1000	10,00	28,90	133	38	10
34510.1100	11,00	34,20	142	41	10
34510.1200	12,00	34,20	151	44	10
34510.1300	13,00	47,40	151	44	10
34510.1400	14,00	47,40	160	47	12
34510.1500	15,00	49,50	162	50	12
34510.1600	16,00	53,20	170	52	12
34510.1700	17,00	61,10	175	54	14
34510.1800	18,00	63,50	182	56	14
34510.1900	19,00	67,60	189	58	16
34510.2000	20,00	68,10	195	60	16

MATERIALE
TAGLIO DX
ESECUZIONE N
ELICA 8°
TOLLERANZA H 7

MACCHINA
DIN 208 B



HSSE

CODICE	D	EURO	L1	L2	MK
34540.0500	5,00	30,50	133	23	1
34540.0550	5,50	30,50	138	26	1
34540.0600	6,00	30,50	138	26	1
34540.0650	6,50	30,90	144	28	1
34540.0700	7,00	30,90	150	31	1
34540.0750	7,50	31,40	150	31	1
34540.0800	8,00	31,40	156	33	1
34540.0850	8,50	32,20	156	33	1
34540.0900	9,00	32,20	162	36	1
34540.0950	9,50	32,60	162	36	1
34540.1000	10,00	32,60	168	38	1
34540.1100	11,00	34,60	175	41	1
34540.1200	12,00	35,90	182	44	1
34540.1300	13,00	37,50	182	44	1
34540.1400	14,00	42,10	189	47	1
34540.1500	15,00	47,40	204	50	2
34540.1600	16,00	51,50	210	52	2
34540.1700	17,00	52,40	214	54	2
34540.1800	18,00	56,50	219	56	2
34540.1900	19,00	59,80	223	58	2
34540.2000	20,00	66,40	228	60	2
34540.2100	21,00	77,50	232	62	2
34540.2200	22,00	82,40	237	44	2
34540.2300	23,00	86,20	241	66	2
34540.2400	24,00	104,30	268	68	3
34540.2500	25,00	106,30	268	68	3
34540.2600	26,00	111,30	273	70	3
34540.2700	27,00	128,20	277	71	3
34540.2800	28,00	128,20	277	71	3
34540.2900	29,00	139,30	281	73	3
34540.3000	30,00	139,30	281	73	3
34540.3200	32,00	160,70	317	77	4
34540.3400	34,00	182,60	321	78	4
34540.3500	35,00	185,40	321	78	4
34540.3600	36,00	196,60	325	79	4
34540.3800	38,00	213,90	329	81	4
34540.4000	40,00	236,10	329	81	4
34540.4500	45,00	289,70	336	83	4


HSS

CODICE	D	EURO	L1	L2	MK
31700.0800	8	27,60	156	33	1
31700.0900	9	28,90	162	36	1
31700.1000	10	28,90	168	38	1
31700.1100	11	30,10	175	41	1
31700.1200	12	30,10	182	44	1
31700.1300	13	30,10	182	44	1
31700.1400	14	30,50	189	47	1
31700.1500	15	34,70	204	50	2
31700.1600	16	34,70	210	52	2
31700.1700	17	39,20	214	54	2
31700.1800	18	39,20	219	56	2
31700.1900	19	44,50	223	58	2
31700.2000	20	44,90	228	60	2
31700.2100	21	45,80	232	62	2
31700.2200	22	47,80	237	44	2
31700.2300	23	49,50	241	66	2
31700.2400	24	54,40	268	68	3
31700.2500	25	62,70	268	68	3
31700.2600	26	63,50	273	70	3
31700.2700	27	67,60	277	71	3
31700.2800	28	67,60	277	71	3
31700.2900	29	68,00	281	73	3
31700.3000	30	74,60	281	73	3
31700.3100	31	84,10	285	75	3
31700.3200	32	84,10	317	77	4
31700.3400	34	124,50	321	78	4
31700.3500	35	124,50	321	78	4
31700.3600	36	130,60	325	79	4
31700.3800	38	141,80	329	81	4
31700.4000	40	156,20	329	81	4

MATERIALE	HSS
TAGLIO	RH
ESECUZIONE	N
ELICA	8°
TOLLERANZA	H 7

CONICITA' 1:50

DIN 9 B




CODICE	D	EURO	L1	L2	D2
34580.0200	2,00	26,00	68	48	2,86
34580.0250	2,50	26,00	68	48	3,36
34580.0300	3,00	27,20	80	58	4,06
34580.0350	3,50	27,20	87	63	4,66
34580.0400	4,00	27,20	93	68	5,26
34580.0450	4,50	27,20	95	70	5,8
34580.0500	5,00	28,50	100	73	6,36
34580.0550	5,50	28,50	118	90	7,2
34580.0600	6,00	29,30	135	105	8
34580.0650	6,50	29,70	140	110	8,6
34580.0700	7,00	29,70	160	125	9,4
34580.0800	8,00	37,10	180	145	10,8
34580.1000	10,00	45,80	215	175	13,4
34580.1200	12,00	56,90	255	210	16
34580.1400	14,00	77,10	255	210	18
34580.1600	16,00	110,00	280	230	20,4
34580.2000	20,00	143,40	310	250	24,8

MATERIALE	HSS-E
TAGLIO	DX
ESECUZIONE	N
ELICA	45°
TOLL.	H7

CONICITA' 1:50

DIN 9 E



CODICE	D	EURO	L1	L2	D2
34590.0300	3,00	36,70	100	58	4,06
34590.0400	4,00	36,70	112	68	5,26
34590.0500	5,00	36,70	122	73	6,36
34590.0600	6,00	37,50	160	105	8
34590.0800	8,00	60,20	207	145	10,8
34590.1000	10,00	84,50	245	175	13,4
34590.1200	12,00	104,70	290	210	16

**ALESATORI
 MANICOTTO
 TOLLERANZA H7
 TAGLIO DESTRO
 DIN 219 B**




ACCIAIO ELICA					HSS 15°
D	I	L	foro	CODICE	EURO
30	32	45	13	31800.3000	72,60
32	36	50	16	31800.3200	81,20
34	36	50	16	31800.3400	90,30
35	36	50	16	31800.3500	90,70
36	40	56	19	31800.3600	103,00
38	40	56	19	31800.3800	109,60
40	40	56	19	31800.4000	115,40
42	40	56	19	31800.4200	124,90
44	45	63	22	31800.4400	147,10
45	45	63	22	31800.4500	147,10
46	45	63	22	31800.4600	155,80
48	45	63	22	31800.4800	164,80
50	45	63	22	31800.5000	179,50
52	50	71	27	31800.5200	200,30
54	50	71	27	31800.5400	222,10
55	50	71	27	31800.5500	222,10
56	50	71	27	31800.5600	234,50
58	50	71	27	31800.5800	234,50
60	50	71	27	31800.6000	246,00
65	56	80	32	31800.6500	314,40
70	56	80	32	31800.7000	344,50
80	63	90	40	31800.8000	470,00



SVASATORI 3 TAGLIENTI

90°



90°

D mm	z	CODOLO CILINDRICO	CODICE 90°	EURO HSSCo	CODICE	EURO HSSCo+TIN
6,3	3	5	31900.0630	10,30		14,50
8,3	3	6	31900.0830	11,20		15,70
9,4	3	6	31900.0940	12,80		18,00
10,4	3	6	31900.1040	12,80		18,00
12,4	3	8	31900.1240	14,00		19,80
15	3	10	31900.1500	18,90		26,50
16,5	3	10	31900.1650	18,90		27,90
20,5	3	10	31900.2050	22,50		32,00
25	3	10	31900.2500	32,70		44,00
31	3	12	31900.3100	43,10		59,00
40	3	12			353351.4000	76,00



SET SVASATORI CIL. 90°

D mm	CODOLO CILINDRICO	CODICE 60°	EURO HSSCo	CODICE	EURO HSS+TIN
6.3-10.4-16.5-20.5-25		353352.7005	132,50		171,70
6.3-8.3-10.4-12.4-16.5-20.5		353352.7506	115,20		153,00

**PUNTE CONO MORSE
SERIE LUNGHE EXTRA-LUNGHE
(MATERIALE A ESAURIMENTO)**

MARCA	TIPO		DIAM.	ELICA	TOTALE	PREZZO
NUI	F.P.	11012	5,50	80	161	48,40
NUI		11101	5,50	120	200	28,10
NUI		11101	6,00	120	200	22,50
NUI		11102	6,00	160	250	26,90
NUI		11103	6,00	200	315	39,70
NUI	F.P.	11212	6,00	200	315	82,40
NUI		11101	6,50	120	200	22,50
NUI	F.P.	11211	6,50	160	250	59,50
NUI		11103	6,50	200	315	39,70
NUI		11103	6,75	200	315	49,40
NUI		11101	7,00	120	200	24,00
NUI		11103	7,00	200	315	39,70
NUI		11101	7,50	120	200	25,40
NUI		11102	7,50	160	250	32,80
E.Z.		11111	7,50	160	250	37,80
NUI		11103	7,50	200	315	39,70
NUI	F.P.	11212	7,50	200	315	85,50
NUI		11011	8,00	100	181	24,20
NUI		11102	8,00	160	250	34,70
NUI		11103	8,00	200	315	49,40
NUI		11103	8,00	210	330	49,40
NUI	F.P.	11212	8,00	210	330	85,50
NUI		11103	8,25	200	315	56,80
DORMER		11011	8,50	115	200	20,70
NUI		11103	8,50	200	315	56,80
NUI		11103	8,50	210	330	56,80
NUI	F.P.	11212	8,50	210	330	98,00
NUI		11111	9,00	172	275	53,20
NUI		11103	9,00	200	315	52,80
NUI	F.P.	11212	9,00	200	315	103,20
NUI		11103	9,25	200	315	60,40
MAY-SSO	F.P.	11012	9,50	120	200	48,40
EHT			9,50	160	250	29,00
NUI		11102	9,50	160	250	37,40
NUI	F.P.	11211	9,50	160	250	77,50
NUI		11111	9,50	175	275	53,20
NUI	F.P.	11211	9,50	175	275	77,60
E.Z.		11103	9,50	200	285	60,40
NUI		11103	9,50	200	315	60,40
NUI	F.P.	11212	9,50	200	315	113,80
NUI		11103	9,50	215	345	60,40
NUI		11103	9,75	200	315	54,70
NUI		11011	10,00	110	200	26,70
EHT			10,00	185	285	29,00
NUI		11103	10,00	200	315	54,70
NUI	F.P.	11212	10,00	200	315	102,10
NUI		11103	10,00	230	360	54,70
EHT			10,00	235	360	43,30
EHT			10,00	300	400	59,30
EHT			10,00	400	500	87,20
EHT			10,00	600	700	130,40

NUI		11011	10,50	116	197	27,60
NUI	F.P.	11012	10,50	116	197	51,80
NUI		11102	10,50	155	245	39,00
NUI		11102	10,50	160	250	39,00
NUI	F.P.	11211	10,50	160	250	89,50
NUI		11103	10,50	185	285	65,30
NUI		11103	10,50	200	315	65,30
NUI		11103	10,50	230	360	65,30
NUI		11117	10,50	250	400	87,20
NUI		11117	10,75	250	400	87,20
NUI		11011	11,00	125	206	28,40
NUI	F.P.	11012	11,00	120	200	55,80
LATZ		11111	11,00	195	300	64,10
EHT			11,00	195	300	29,00
EHT			11,00	250	375	43,30
NUI		11117	11,00	250	400	87,20
EHT			11,00	300	400	64,70
EHT			11,00	400	500	89,50
EHT			11,00	500	600	111,70
EHT			11,00	600	700	136,80
NUI		11103	11,25	200	315	67,60
NUI		11011	11,50	110	200	27,60
NUI		11011	11,50	125	206	28,40
NUI	F.P.	11012	11,50	120	205	60,00
NUI		11102	11,50	160	250	46,50
NUI	F.P.	11211	11,50	160	250	86,70
NUI		11103	11,50	200	300	67,60
NUI	F.P.	11211	11,50	200	300	86,20
NUI	F.P.	11212	11,50	250	375	128,30
NUI		11102	12,00	160	250	41,50
NUI		11103	12,00	200	315	55,00
TITEX	F.P.	11211	12,00	200	310	91,10
EHT			12,00	205	310	29,00
EHT			12,00	300	400	64,70
EHT			12,00	400	500	89,50
EHT			12,00	500	600	111,70
EHT			12,00	600	700	156,20
NUI		11011	12,50	134	215	29,10
NUI		11102	12,50	160	250	47,10
NUI	F.P.	11012	12,50	160	250	63,40
NUI		11103	12,50	200	310	55,00
NUI		11103	12,50	200	315	55,00
NUI		11117	12,50	250	400	87,20
NUI	F.P.	11212	12,50	250	400	142,70
NUI	F.P.	11212	12,50	260	395	142,70
NUI		11011	12,85	155	250	29,10
NUI		11011	13,00	134	215	29,10
NUI	F.P.	11012	13,00	130	210	63,10
NUI		11102	13,00	160	250	44,40
NUI	F.P.	11211	13,00	160	250	90,90
NUI		11103	13,00	200	310	58,30
NUI		11103	13,00	200	315	58,30
DORMER		11103	13,00	205	310	58,30
EHT			13,00	205	310	35,00
NUI		11117	13,00	250	400	90,30
NUI	F.P.	11212	13,00	250	400	132,70
EHT			13,00	300	400	70,70
EHT			13,00	400	500	94,20
EHT			13,00	500	600	129,40
EHT			13,00	600	700	184,80

NUI		11103	13,25	200	315	58,30
C.C.	F.P.	11211	13,50	200	315	102,50
NUI		11103	13,50	200	315	72,70
NUI		11117	13,50	250	400	107,80
NUI		11117	13,50	270	410	107,80
NUI	F.P.	11212	13,50	275	410	147,40
C.C.		11011	13,70	150	250	34,80
NUI		11117	13,75	250	400	107,80
EHT			14,00	600	700	200,10
EHT			14,00	800	950	240,50
NUI		11103	14,50	200	315	74,50
EHT			14,50	220	340	53,10
NUI		11117	14,50	250	400	109,40
NUI		11011	15,00	147	245	43,40
NUI		11103	15,00	200	315	62,40
EHT			15,00	200	300	53,10
EHT			15,00	600	700	211,80
EHT			15,00	800	950	260,20
NUI		11103	15,25	200	315	79,30
NUI		11011	15,50	153	251	47,40
NUI	F.P.	11012	15,50	150	250	86,70
NUI		11103	15,50	200	315	79,30
NUI		11011	16,00	153	251	47,40
NUI	F.P.	11012	16,00	150	250	82,40
EHT			16,00	200	300	53,10
EHT			16,00	300	400	70,70
EHT			16,00	400	500	100,00
EHT			16,00	800	950	302,40
C.C.		11103	16,50	190	315	82,40
EHT			17,00	300	400	71,30
EHT			17,00	400	500	101,00
EHT			17,00	500	600	130,60
EHT			17,00	600	700	228,10
NUI	F.P.	11012	17,50	165	263	96,50
C.C.	F.P.	11211	17,50	250	400	140,30
EHT			18,00	400	500	101,00
EHT			18,00	500	600	132,80
EHT			18,00	800	950	328,50
NUI	F.P.	11012	18,50	200	315	107,10
NUI		11104	18,50	250	370	106,80
NUI	F.P.	11211	18,50	250	370	157,80
NUI		11104	18,50	250	400	106,80
NUI		11104	18,75	250	400	106,80
E.Z.		11117	18,75	290	420	144,20
NUI		11011	19,00	171	269	56,20
NUI		11103	19,00	200	315	75,90
EHT			19,00	200	300	70,30
EHT			19,00	245	370	68,60
C.C.	F.P.	11211	19,00	250	400	157,40
EHT			19,00	300	400	76,50
EHT			19,00	400	500	105,90
EHT			19,00	500	600	141,20
EHT			19,00	600	700	228,10
NUI		11011	19,50	177	275	66,00
EHT			20,00	200	315	70,30
NUI		11117	21,00	315	500	126,80
NUI	F.P.	11212	21,00	315	500	262,70
EHT			21,00	400	500	111,00

C.C.		11000	21,50	145	245	41,00
C.C.	F.P.	11212	21,50	250	400	249,00
NUI		11117	21,50	270	400	169,60
NUI	F.P.	11211	21,50	270	400	249,00
NUI		11112	21,50	350	525	237,00
NUI		11104	21,75	250	400	135,70
NUI		11104	21,90	250	400	135,70
NUI	F.P.	11012	22,00	200	315	146,10
C.C.		11104	22,00	250	400	135,70
C.C.	F.P.	11211	22,00	250	400	225,80
EHT			22,00	400	500	121,30
EHT			22,00	500	600	164,70
NUI	F.P.	11012	22,50	200	315	164,80
NUI		11104	22,50	250	400	145,70
NUI	F.P.	11211	22,50	250	400	265,10
C.C.	F.P.	11211	22,50	250	400	265,10
NUI	F.P.	11212	22,50	320	500	326,20
NUI		11117	22,75	300	400	192,30
EHT			23,00	200	315	93,80
NUI	F.P.	11211	23,00	250	400	258,50
C.C.	F.P.	11211	23,00	250	400	258,50
EHT			23,00	300	400	106,40
EHT			23,00	345	515	140,80
EHT			23,00	525	650	192,80
ZPS		11011	25,00	206	327	106,00
ZPS		11011	26,00	214	335	112,20
NUI		11119	26,50	360	550	253,50
NUI	F.P.	11212	26,50	360	550	519,90
ZPS		11112	27,00	385	580	342,00
EHT			27,00	525	650	257,70
NUI	F.P.	11012	27,50	250	400	222,80
NUI	F.P.	11211	27,50	300	460	410,90
EHT			27,50	255	375	134,50
NUI		11104	27,70	250	400	201,80
NUI		11011	28,00	222	342	134,40
NUI	F.P.	11012	28,00	210	340	241,60
NUI		11104	28,00	250	400	201,80
EHT			28,00	250	400	134,50
EHT			28,00	325	450	148,20
NUI		11111	28,00	300	420	281,20
NUI	F.P.	11212	28,00	385	580	501,30
NUI		11104	28,50	250	400	187,00
NUI		11111	28,50	300	460	331,20
EHT			29,00	230	380	140,50
EHT			29,00	250	400	140,50
EHT			29,00	325	450	161,60
EHT			29,00	425	550	199,60
EHT			29,00	525	650	278,50
NUI	F.P.	11212	29,50	385	580	612,00
EHT			30,00	250	400	157,80
EHT			30,00	385	580	214,60
EHT			30,00	425	550	215,50
EHT			31,00	250	400	165,00
EHT			31,00	500	650	306,80
EHT			32,00	600	750	490,50
EHT			32,00	800	950	631,30

EHT			33,00	250	400	195,50
EHT			33,00	350	500	245,60
EHT			34,00	250	400	195,50
EHT			34,00	350	500	245,60
EHT			35,00	250	400	213,80
EHT			35,00	650	800	659,50
EHT			35,00	800	950	747,60
EHT			36,00	250	400	213,80
EHT			36,00	350	500	266,20
EHT			36,00	500	650	405,20
EHT			36,00	430	665	406,80
EHT			37,00	250	400	232,10
EHT			37,00	350	500	304,40
EHT			37,00	430	665	429,40
EHT			38,00	650	800	766,90
EHT			38,00	800	950	873,70
EHT			39,00	500	650	494,10
EHT			40,00	800	950	963,30
ZPS		11112	42,00	460	695	789,90
EHT			42,00	650	800	862,20
EHT			43,00	350	500	343,70
EHT			43,00	500	650	503,30
EHT			43,00	490	735	483,30
EHT			44,00	500	650	573,90
EHT			45,00	350	500	380,50
ZPS		11112	45,00	490	735	883,40
EHT			45,00	650	800	1.015,90
EHT			45,00	800	950	1.206,40
EHT			46,00	350	500	380,50
EHT			46,00	360	585	435,30
EHT			46,00	500	650	613,60
EHT			46,00	490	735	600,20
EHT			47,00	360	585	474,40
EHT			47,00	490	735	624,40
EHT			48,00	510	765	685,80
EHT			48,00	650	800	898,70
EHT			49,00	350	500	491,10
EHT			49,00	510	765	738,10
EHT			50,00	350	500	568,70
EHT			50,00	500	600	897,20
EHT			50,00	650	800	1.282,50
EHT			50,00	800	950	1.476,70

**PUNTE CONO MORSE
CON FORI LUBRIFICAZIONE**

NUI		11400	12,00	134	232	241,80
NUI		11400	12,50	134	232	241,80
TITEX		11400	13,20	134	232	241,80
NUI		11400	16,00	153	251	258,50
NUI		11400	16,25	159	257	292,40
NUI	F.P.	11410	16,50	159	257	360,30
NUI		11400	19,00	171	292	283,50
NUI	F.P.	11410	19,00	171	292	398,00
NUI	F.P.	11410	20,00	177	298	416,50
NUI	F.P.	11410	25,00	190	325	544,80
NUI	F.P.	11410	25,50	200	300	544,80
NUI	F.P.	11410	26,00	200	330	576,60
NUI		11400	28,50	230	379	477,00
C.C.		11410	29,00	230	350	676,00
NUI	F.P.	11410	31,00	300	470	722,40

CESARI UTENSILI SAS

VIA GIOTTO, 30
25124 BRESCIA - ITALIA
TEL. 030 - 2312185
FAX. 030 - 2319834

E-mail: cesari@cesariutensili.it

WWW.CESARIUTENSILI.IT